SAFETY PRE-PLACEMENT MEDICAL EXAMINATION DATA

County of Los Angeles - Occupational Health Programs
Department of Human Resources

Name (Last, First MI)				SSN/Em	ploy	ee Number	Sex	Age	Exam Date
Job Title			Item Numb	ner .	De	epartment Name			
Job Title			nom ram)CI		partificht Maine			
Body Composition Dip Stick UA Blood Pressu									
Height	Glucose	BP After 3-5 Minutes in Chair / Pulse:							
(no shoes)		Repeat if BP>120/80 / Pulse:							
Weight	Protein								
(no shoes/coat)		Repeat if Differ by >5 mm Hg/ Pulse:							
Maximum		Safety Physical Exam: Do all of the components listed below. Additional "PRN"							
(if applicable) Bilirubin		components are required per CPG if there is a positive hx within the 5 years. When							
BF if >Max		there is a positive hx, pertinent negatives and any positives must be fully described in the space below.							
Distant Vision	Glasses	Complete Exam		WNI					
Titmus:	Contacts	Eyes: Pupils, EC		VVIVI	_				
		retina	JIVI, IEIIS,						
Right 20/ Corr to 20/ Left 20/ Corr to 20/		ENT: Nodes, Thy	yroid,						
	orr to 20/	+PRN							
	Cardiac: Auscult								
BL/EDTRS Chart:	describe murmurs Lungs: Auscultate; do								
(If applicable)		hest expansion if							
Right 20/ Corr to 20/		restriction on spir							
Left 20/ C	Abdomen: liver,								
OU 20/ C	umbilical hernia; check for aortic aneurysm if ≥50 y.o.								
Near Vision		Vascular: Caroti							
itcai vision	venous insufficiency,								
OU Best: Titmus # or 20/ If # 4 or 20/50, Do Card: J		√ leg edema if 2+ protein							
		Hernias: male inguinal							
		Neuro: DTR's +							
Audio All Levels <30dB Abnormal: MD ear exam		Skin: note CA, b							
		gang/racist tattoos, folliculi barbae							
EKG Normal		Back: H/T walk,	ROM.						
Insignificant Findings Needs Cardiologist Reading		active SLR + PR							
		Knees: Duck wa							
Spiro Normal Abnormal		Shoulder: ROM	+PRN						
		Neck: PRN							
Contractor Name and Location:		Wrist: PRN							
		Ankle: PRN							
Physician's Signature		Physician's Printed N	lame						